

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

Retatrutide - 30mg

Tested for: Pepkitz

PASS

COA #: COA-2026-T5NJYY
Lot Number: 073126
Accession #: ACC-2026-13590
Labeled Content: 30mg

Analysis Date: 08/13/2026
Appearance: Good
Sample Matrix: Lyophilized
Volume: 3mL
Date Received: 07/31/2026



Scan to verify
authenticity at ils-lab.com
Access Code: 9ABNBTCE

Method: Purity, Identity & Quantitation (HPLC)

Identity	Peptide Purity	
Retatrutide	99.57%	 Fentanyl Free


Purity, Identity & Quantitation (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	99.57%	%	PASS
Net Peptide Content	Report Only	30.84	mg	N/A
Identity (HPLC-RTM)	Retatrutide	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS



Retatrutide 30mg - 073126

HPLC Chromatogram



Retatrutide 30mg - 073126: UV Chromatogram

Notes & Methodology

- Date Tested: 08/13/2026. Methods: Purity, Identity & Quantitation (HPLC).
- The sample was confirmed to be Retatrutide by HPLC. Identification by chromatographic retention time comparison with a reference standard.
- Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
- This certificate reports analytical results for the sample(s) submitted to ILS Laboratories for testing. All sample identifications, product names, brand names, lot/batch numbers, and labeled content are provided by the submitting party and have not been independently verified. Results reflect only the analytical testing of the specific sample(s) provided and do not constitute an evaluation or endorsement of the manufacturer's processes, quality systems, or overall production. ILS Laboratories makes no representations regarding the intended use, safety, efficacy, regulatory status, or intellectual property ownership of any materials tested.



Handwritten signature of Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
8/13/2026

COA #: COA-2026-T5NJYY
Access Code: 9ABNBTCE
Verify: portal.ils-lab.com/verify/2iLhElw2pqbQOpcc
Issued: 8/13/2026